

IN THE CLAIMS

1. (canceled)
2. (canceled)
3. (canceled)
4. (canceled)
5. (canceled)
6. (canceled)
7. (canceled)
8. (canceled)
9. (canceled)
10. (canceled)
11. (canceled)
12. (canceled)
13. (currently amended) An intervertebral spacer device comprising:
 - a first plate having an exterior surface;
 - a second plate having an exterior surface;
 - a mesh secured over one of said exterior surfaces, wherein said mesh is deflectable relative to the one of said exterior surfaces, under load and is non-congruent with the one of said exterior surfaces when in an undeflected state. wherein an inner surface of one of said plates comprises a ball-shaped structure extending therefrom and an inner surface of the other one of said plates has a spring secured thereto, said spring having a curvate volume for receiving and holding therein said ball-shaped structure.
14. (previously presented) The device as claimed in claim 13, wherein the one of said exterior surfaces includes a

substantially flat region and said mesh overlies and is spaced from said substantially flat region.

15. (currently amended) The device as claimed in claim 14, wherein said mesh overlying said substantially flat region has a convex shape when in ~~said an~~ undeflected state.

16. (currently amended) ~~The device as claimed in claim 13,~~ An intervertebral spacer device comprising:

a first plate having an exterior surface;

a second plate having an exterior surface;

a mesh secured over one of said exterior surfaces, wherein said mesh is deflectable relative to the one of said exterior surfaces, said device further comprising a joint that couples said first and second plates together, said joint including a ball attached with one of said plates and a socket attached with the other one of said plates, wherein said joint permits said first and second plates to move relative to one another.

17. (canceled)

18. (currently amended) The device as claimed in claim 13, ~~further comprising~~ wherein said spring comprises a force restoring element disposed between said plates for counteracting load applied to at least one of said plates.

19. (canceled)

20. (currently amended) The device as claimed in claim ~~19~~ 13, wherein said ball-shaped structure is inwardly deflectable for being inserted into said curvate volume.

21. (currently amended) An intervertebral spacer device comprising:

first and second plates having exterior surfaces, said first and second plates being movable relative to one another;

a deflectable porous surface secured over one of said exterior surfaces, said porous surface being movable between an undeflected state and a deflected state, ~~wherein said porous surface is non-congruent with the one of said exterior surfaces when in the undeflected state~~ wherein an inner surface of one of said plates has a ball-shaped structure extending therefrom and an inner surface of the other one of said plates has a spring secured thereto, said spring having an opening for receiving and holding therein said ball-shaped structure.

22. (canceled)

23. (currently amended) The device as claimed in claim ~~22~~ 21, wherein ~~an inner surface of the other one of said plates the opening of said spring~~ comprises a curvate volume for receiving and holding therein said ball-shaped structure.

24. (currently amended) The device as claimed in claim 21, wherein said ~~mesh~~ deflectable porous surface has a curved surface when in the undeflected state.

25. (previously presented) The device as claimed in claim 21, wherein said deflectable porous surface comprises a wire mesh.

26. (previously presented) The device as claimed in claim 25, wherein said wire mesh has a perimeter that is anchored to the exterior surface of the one of said plates and a center that is movable relative to the exterior surface of the one of said plates.